Configuration

Open **SQL Server Configuration Manager** by typing mmc.exe and searching for the path C:\Windows \SysWOW64\SQLServerManager13.msc

The console view appears



Switch to SQL Native Client 11.0-Configuration to the menu item Clientprotokoll, by right-clicking on TCP/ IP, call up the properties and check that port 1433 is entered.



SQL Server-Netzwerkkonfiguration in the menu Item Protokolls for "SQLEXPRESS" Click on Enabled = Yes in the Properties tab of TCP/IP



In the IP addresses tab at the bottom of IPAll: Delete TCP Dynamic Ports and enter TCP Port 1433

Put Enabled anywhere on yes, Applay,



Restart the server under SQL Server services

ᡖ Sql Server Configuration Manager						_		×
Datei Aktion Ansicht ?								
 SQL Server-Konfigurations-Manager (Lokal) SQL Server-Dienste SQL Server-Netzwerkkonfiguration (32 Bir SQL Native Client 11.0-Konfiguration (32 Bir Clientprotokolle Aliase SQL Server-Netzwerkkonfiguration Protokolle für "SQLEXPRESS" SQL Native Client 11.0-Konfiguration Clientprotokolle Aliase 	Name		Status	Startmodus	Anmelden als	Prozess-ID		Dienstty
	SQL Server	er-Brow Start Beer Anh Fort: Neu Eige	Beendet Wird ausgeführt	Andere (Boot, Syste	NT AUTHORITY\LO	0		SOL See
			arten eenden nhalten ortsetzen	Andere (Boot, Syste	NT AUTHORITY\NE	0		SQL Age
			eu starten genschaften					
		Hi	lfe					

In the Windows services, call the properties of the SQL Server service and choose "Local System Account" from the "Log On" tab

Restart the Server service.