General Information

Basic information on the function and use of system parameters can be found in the System Parameters chapter of the "Portal & Organization" module manual.

ΝΟΤΙΖ

System parameters are settings that affect the **basic behavior** of Webdesk and represent a kind of "default setting".

ΝΟΤΙΖ

However, this **does not have to be a MUST setting** - some system parameters are **CAN values** and are only used if nothing else has been defined in higher level settings. For some settings, the behavior of the system may therefore differ from the system parameters because the settings have been **overwritten** in some cases on a user-specific, client-specific, or group-specific basis.

System Parameter for the module "Project Time"

You can only access the system parameters as a Full System Administrator via the menu tree:

SETTINGS

--> System parameter

A list of all system parameters is displayed. In addition to the **module and full text search**, it is also possible to filter by so-called **"beans"**. Beans define certain subject areas into which the settings are subdivided. These beans, in the module Projecttime, are:

- **PtmAttendanceServiceImpl** --> all settings that affect the linking of project times and attendance times.
- **PtmOptions -->** general parameters for the module PTM
- PtmProjectImageDimensions --> parameters concerning the standard dimensions for project images

Here you will find a **list of all relevant system parameters** for the Project Time module as well as their meaning and configuration options:

Bean	Property/Name	Value(s)	Description
PtmAttendanceServiceImp	ltimeAccountName	Full Text, enter name	In this field, you enter the name of the time account from the Interflex 6020 time recording system with whose balance the project time is to be compared (for comparison of project time vs. attendance time).
PtmAttendanceServiceImp	workingTimeDailyRight	Name	yet unknown
PtmAttendanceServiceImp	zeroWorkingTimeUnless	RightSet	yet unknown
PtmOptions	allowAnyGroupTypeFor	A' chieityC'diaste äints	true: A certain activity can be assigned to all group types during

		project booking (useful, for example, if the hierarchical groups are already allocated according to cost centers or are identical to these). false: A certain activity in the project posting can only be assigned
		to the group type "Cost center" (here a cost center structure must first be created, this is useful if a separate cost center structure is required, e.g. if the cost centers are structured differently from the hierarchical groups).
PtmOptions	approverCanReject "true" or "false"	true: The person responsible for approving project times (if subject to approval) can not only approve but also actively reject them.
		false: the person responsible for the approval can only approve project times (if subject to approval), but cannot reject them
PtmOptions	customerShownInProjectCthoo'ser "false"	true: A dropdown list for selecting the customer is available as a filter option for the project list during booking
		false: The dropdown list for filtering projects by customer is not visible in the project booking action by default.
PtmOptions	deleteKioskEffortsBelowWifiseutesnumber of minutes	This is only relevant for Kiosk customers!
		Here, you enter the number of minutes below which the project time booking is automatically ignored. If, for example,

			"2" is entered, all bookings that have lasted less than 2 minutes are automatically deleted - this prevents, for instance, accidental bookings.	
PtmOptions	initialStateExistsInAp	initialStateExistsInApprovalWoorkffawe"		
PtmOptions	levelIsAMaximum	"true" or "false"	true:Depending on thehierarchy levels definedfor the element types,only certain elementtypes can be selectedfor a new project thatis assigned to a higher-level/parent project. Thehierarchy level definedfor these element typesmust be at least the sameas or larger than the leveldefined for the project.If, for example, the newproject is designated to	
			project is designated to be on level 4 by being sub-project of a level 3 parent project, only element types starting with level 4 (and larger, i.e. 5, 6, 7,) are available to select for this project.	
			false: In this case, only element types that have defined the exact level into which the new project is to be placed are available.	
			If level 3 is planned for the new project by the parent project being level 2, only those element types are available which have EXACTLY level 3.	
PtmOptions	notifyEffortRejectsBy	Mail true" or "false"	true: The person who has booked project time receives a notification by e-mail if the booking is rejected (not confirmed) by the superior.	

			false: there will be not e- mail notificationThis parameter is currently dormant and fulfills no function!
PtmOptions	projectAdminRoleName	Full Text, insert a role name	Here you enter the name of the role that exists in the system and is to be given collective rights to edit all projects stored in the system.
PtmOptions	projectAttributeNames	add fields via the button "add"	Here additional fields can be added, which should be visible for each project in the project view and can be filled with additional information
PtmOptions	projectAuthorRoleName	Full Text, insert a role name	Here you enter the name of the role existing in the system which is to be given the right to create new projects in the project overview using the "New Project" button.
PtmOptions	projectChooserShowsTro	eë Wie wInitfally	true: in the project booking mask the tree view is shown by default to select the projects for booking false: the tree view is not
			shown by default, instead the list view appears for project selection
PtmOptions	projectLongLabelParent	sSetten ration character string	Selection of the character string (e.g. ">") which is to be used in the "LongLabel" representation to separate higher-level projects from their subprojects.
			e.g. if parameter is ">>" then the view is as follows: Parent project >> Subproject